



ISO-Bez.	WIPPERMANN-Bezeichnung	Ausführung	Seite
	2DH I	Plattenbandkette	59
<b>3</b>	440	Rollenkette	10
<b>4</b>	445	"	10, 56
	D 445	"	11
<b>04C-1</b>	ASA 25	Buchsenkette	13
<b>05B-1</b>	450	Rollenkette	10, 48, 49, 56
	450 RF	" rostfrei	42, 51
	453	"	10
	454	"	10
<b>05B-2</b>	D 450	Rollenkette	11
	D 450 RF	" rostfrei	43
<b>05B-3</b>	T 450	"	12
<b>06B-1</b>	455 GL	"	10, 17, 36, 48-50, 56, 57
	06B -1 MA	" wartungsfrei	34, 36
	455 RF	" rostfrei	42, 50, 51
	455 RFKIGL	Kunststoffinnenglied rostfrei	42
	455 TL	Rollenkette	45
<b>06C-1</b>	ASA 35	Buchsenkette	13, 56
	ASA 35 RF	Rollenkette rostfrei	42
<b>06B-2</b>	455 GL-2	"	11, 17, 57
	455 GL-2 MA	" wartungsfrei	34, 36
	06B -2 GL MA	" "	34, 36
	D 455 RF	" rostfrei	43
<b>06B-3</b>	T 455 RF	"	44
<b>06C-2</b>	ASA 35 -2	Buchsenkette	14
	ASA 35 -2 RF	"	43
<b>06B-3</b>	455 GL-3	Rollenkette	12, 17
	455 GL-3 MA	" wartungsfrei	34, 36
	06B -3 MA	" "	34, 36
<b>06C-3</b>	ASA 35 -3	Buchsenkette	15
<b>08A-1</b>	ASA 40	Rollenkette	13, 48, 49, 56
	08A -1 MA	" wartungsfrei	31, 56
	ASA 40 RF	" rostfrei	42, 51
	ASA 40 SB	Seitenbogenkette	16
	ASA 40 SB RF	" rostfrei	16
<b>81</b>	331	Rollenkette	10, 48, 49
	331 RF	" rostfrei	42, 51
	332	"	10, 48, 49
	332 RF	" rostfrei	42, 51
<b>82</b>	110	"	10
<b>83</b>	17	"	10
	18	"	45
	460	"	45
	461	"	10
<b>08B-1</b>	462	"	10, 48-50, 52, 53, 56, 57
	08B -1 BI	"	25
	08B -1 BI KS	"	27
	08B -1 TR HT	" wartungsfrei	29
	08B -1 TR KS	" wartungsfrei	31
	08B -1 MA	Rollenkette wartungsfrei	34
	462 GL	"	17
	462 GL MA	" wartungsfrei	36
	462 RF	" rostfrei	42, 50, 51
	462 RFKI	Kunststoffinnenglied rostfrei	42
	462 RF GL	"	42
	462 RF MA	" wartungsfrei	41
	462 GL	Mit POM-Clip	19
	462 GL	Mit TPU-Clip	21
	462 SB	Seitenbogenkette	16
<b>08A-2</b>	ASA 40 -2	Rollenkette	14
	08A -2 MA	" wartungsfrei	35
	ASA 40 -2 RF	" rostfrei	43
<b>08B-2</b>	D 462	"	11, 57
	08B -2 BI	"	25
	08B -2 BI KS	"	27
	08B -2 TRHT	" wartungsfrei	29
	08B -2 TRKS	" wartungsfrei	31
	08B -2 MA	" wartungsfrei	34
	462 GL-2	"	17
	462 GL-2 MA	" wartungsfrei	36

ISO-Bez.	WIPPERMANN-Bezeichnung	Ausführung	Seite
	D 462 RF	" rostfrei	43
	D 462 RF MA	" wartungsfrei	41
	D 462 GL	Mit POM-Clip	19
	08A -3 MA	" wartungsfrei	35
<b>08B-3</b>	T 462	"	12
	08B -3 BI	"	25
	08B -3 BI KS	"	27
	08B -3 TRHT	" wartungsfrei	29
	08B -3 TRKS	" wartungsfrei	31
	08B -3 MA	" wartungsfrei	34
	462 GL-3	"	17
	462 GL-3 MA	" wartungsfrei	36
<b>08B-3</b>	T 462 RF	" rostfrei	44
	T 462 RF MA	" wartungsfrei	41
<b>10A-1</b>	ASA 50	"	13, 48, 49, 56
	ASA 50 H	" verstärkt	13
	ASA 50 HX	" "	22
	10A -1 MA	" wartungsfrei	35, 56
	500	"	10
<b>10B-1</b>	501	"	10, 48-50, 52, 53, 56, 57
	10B -1 BI	"	25
	10B -1 BI KS	"	27
	10B -1 TRHT	" wartungsfrei	29
	10B -1 TRKS	" wartungsfrei	31
	10B -1 MA	" wartungsfrei	34, 48-53
	501 GL	"	17
	501 GL MA	" wartungsfrei	36
	501 RF	" rostfrei	42, 50, 51
	501 RF GL	" "	42
	501 RF MA	" wartungsfrei	41
	501 GL	Mit POM-Clip	19
	501 SB	Seitenbogenkette	16
<b>10A-2</b>	ASA 50 -2	"	14
	10A -2 MA	" wartungsfrei	35
<b>10B-2</b>	D 501	"	11, 57
	10B -2 BI	"	25
	10B -2 BI KS	"	27
	10B -2 TRHT	" wartungsfrei	29
	10B -2 TRKS	" wartungsfrei	31
	10B -2 MA	" wartungsfrei	34
	501 GL-2	"	17
	501 GL-2 MA	" wartungsfrei	36
	D 501 RF	" rostfrei	43
	D 501 RF MA	" wartungsfrei	41
	D 501 GL	Mit POM-Clip	19
<b>10A-3</b>	ASA 50 -3	"	15
	10A -3 MA	" wartungsfrei	35
<b>10B-3</b>	T 501	"	12
	10B -3 BI	"	25
	10B -3 BI KS	"	27
	10B -3 TRHT	" wartungsfrei	29
	10B -3 TRKS	" wartungsfrei	31
	10B -3 MA	" wartungsfrei	34
	501 GL-3	"	17
	501 GL-3 MA	" wartungsfrei	36
<b>10B-3</b>	T 501 RF	" rostfrei	44
	T 501 RF MA	" wartungsfrei	41
<b>12A-1</b>	ASA 60	"	13, 48, 49, 56
	12A -1 MA	" wartungsfrei	35, 56
	ASA 60 GL	"	17
	ASA 60 H	" verstärkt	13
	ASA 60 HX	" "	22
	ASA 60 HGL	" "	17
	ASA 60 RF	" rostfrei	42
	ASA 61 SB	Seitenbogenkette	16
	ASA 61 SB RF	" rostfrei	16
<b>12B-1</b>	513	"	10, 48-50, 52, 53, 56, 57
	12B -1 BI	"	25
	12B -1 BI KS	"	27
	12B -1 TRHT	" wartungsfrei	29



ISO-Bez.	WIPPERMANN-Bezeichnung	Ausführung	Seite
	12B -1 TRKS	" wartungsfrei	31
	12B -1 MA	" wartungsfrei	34, 48-53
	513 GL	"	17
	513 GL MA	"	36
	513 GL	Mit POM-Clip	19
	513 GL	Mit TPU-Clip	21
	513 RF GL	" "	42
	513 RF MA	" wartungsfrei	41
	513 SF RF	Stauförderkette rostfrei	60, 61
	513 SF	Stauförderkette	60, 61
	513 SF MA	" wartungsfrei	38, 39
	513 SB	Seitenbogenkette	16
<b>12A-2</b>	ASA 60 -2	Rollenkette	14
	12A -2 MA	" wartungsfrei	35
	ASA 60 GL-2	"	17
	ASA 60 -2 RF	" rostfrei	43
<b>12B-2</b>	D 513	"	11, 57
	12B -2 BI	"	25
	12B -2 BI KS	"	27
	12B -2 TRHT	" wartungsfrei	29
	12B -2 TRKS	" wartungsfrei	31
	12B -2 MA	" wartungsfrei	34
	513 GL-2	"	17
	513 GL-2 MA	" wartungsfrei	36
	D 513 RF	"	42
	D 513 RF MA	" wartungsfrei	41
	D 513 SF	Stauförderkette	60, 61
	D 513 SF MA	" wartungsfrei	38, 39
	D 513 GL	Mit POM-Clip	19
<b>12A-3</b>	ASA 60 -3	Rollenkette	15
	12A -3 MA	" wartungsfrei	35
	ASA 60 GL-3	"	17
<b>12B-3</b>	T 513	"	12
	12B -3 BI	"	25
	12B -3 BI KS	"	27
	12B -3 TRHT	" wartungsfrei	29
	12B -3 TRKS	" wartungsfrei	31
	12B -3 MA	" wartungsfrei	34
	513 GL-3	"	17
	513 GL-3 MA	" wartungsfrei	36
<b>12B-3</b>	T 513 RF	" rostfrei	44
	T 513 RF MA	" wartungsfrei	41
	T 513 SF RF	Stauförderkette rostfrei	60, 61
	T 513 SF	"	60, 61
	T 513 SF MA	" wartungsfrei	38, 39
	515	Rollenkette	45
	517	"	45
	540	"	45
	546 b	"	45
	547	"	45
<b>16A-1</b>	ASA 80	"	13, 48, 49, 56
	ASA 80 H	" verstärkt	13
	ASA 80 HX	"	22
	16A -1 MA	" wartungsfrei	35, 56
<b>16B-1</b>	548	"	10, 48-50, 52, 53, 56, 57
	16B -1 BI	"	25
	16B -1 BI KS	"	27
	16B -1 TRHT	" wartungsfrei	29
	16B -1 TRKS	" wartungsfrei	31
	16B -1 MA	" wartungsfrei	34, 48-53
	548 GL	"	17
	548 GL MA	" wartungsfrei	36
	548 GL	Mit POM-Clip	19
	548 GLS	"	19
	548 GLS MA	" wartungsfrei	36
	548 GLS	Mit POM-Clip	19
	548 GLS	Mit TPU-Clip	21
	548 GLX	" verstärkt	22
	548 RF	" rostfrei	42, 50, 51
	548 RF GL	" "	42

ISO-Bez.	WIPPERMANN-Bezeichnung	Ausführung	Seite
	548 RF GLS	" "	42
	548 SF RF	Stauförderkette "	60, 61
	548 SF	"	60, 61
	548 SF MA	" wartungsfrei	38, 39
	548 SB	Seitenbogenkette	16
<b>16A-2</b>	ASA 80 -2	Rollenkette	14
	16A -2 MA	" wartungsfrei	35
<b>16B-2</b>	D 548	"	11, 57
	16B -2 BI	"	25
	16B -2 BI KS	"	27
	16B -2 TRHT	" wartungsfrei	29
	16B -2 TRKS	" wartungsfrei	31
	16B -2 MA	Rollenkette wartungsfrei	30
	548 GL-2	"	17
	548 GLS-2	"	17
	548 GL-2 MA	" wartungsfrei	36
	548 -2 GLX	"	22
	D 548 RF	" rostfrei	43
	D 548 RF MA	" wartungsfrei	41
	D 548 SF	Stauförderkette	60, 61
	D 548 SF MA	" wartungsfrei	38, 39
<b>16A-3</b>	ASA 80 -3	Rollenkette	15
	16A -3 MA	" wartungsfrei	35
<b>16B-3</b>	T 548	"	12
	16B -3 BI	"	25
	16B -3 BI KS	"	27
	16B -3 TRHT	" wartungsfrei	29
	16B -3 TRKS	" wartungsfrei	31
	16B -3 MA	Rollenkette wartungsfrei	34
	548 GL-3	"	17
	548 GLS-3	"	17
	548 GL-3 MA	" wartungsfrei	36
	548 -3 GLX	"	22
<b>16B-3</b>	T 548 RF	" rostfrei	44
	T 548 RF MA	" wartungsfrei	41
	T 548 SF RF	Stauförderkette rostfrei	60, 61
	T 548 SF	"	60, 61
	T 548 SF MA	" wartungsfrei	38, 39
<b>20A-1</b>	ASA 100	Rollenkette	13, 56
	ASA 100 H	" verstärkt	13
	ASA 100 HX	"	22
	20A -1 MA	" wartungsfrei	35, 56
	552	"	10, 56
	552 MA	" wartungsfrei	34, 56
<b>20B-1</b>	563	"	10, 48-50, 56
	20B -1 BI	"	25
	20B -1 BI KS	"	27
	20B -1 TRHT	" wartungsfrei	29
	20B -1 TRKS	" wartungsfrei	31
	20B -1 MA	" wartungsfrei	34, 48-50, 56
	563 GL	"	17
	563 GL MA	" wartungsfrei	36
	563 GL	Mit POM-Clip	19
	563 GLX	" verstärkt	22
<b>20A-2</b>	ASA 100 -2	"	14
	20A -2 MA	" wartungsfrei	35
<b>20B-2</b>	D 563	"	11
	20B -2 BI	"	25
	20B -2 BI KS	"	27
	20B -2 TRHT	" wartungsfrei	29
	20B -2 TRKS	" wartungsfrei	31
	20B -2 MA	" wartungsfrei	34
	563 GL-2	"	17
	563 GL-2 MA	" wartungsfrei	36
	563 -2 GLX	"	22
<b>20A-3</b>	ASA 100 -3	"	15
	20A -3 MA	" wartungsfrei	35
<b>20B-3</b>	T 563	"	12
	20B -3 BI	"	25
	20B -3 BI KS	"	27



ISO-Bez.	WIPPERMANN-Bezeichnung	Ausführung	Seite
	20B-3 TRHT	" wartungsfrei	29
	20B-3 TRKS	" wartungsfrei	31
	20B-3 MA	" wartungsfrei	30
	563 GL-3	"	17
	563 GL-3 MA	" wartungsfrei	36
	563-3 GLX	"	22
	577	"	45, 56
<b>24A-1</b>	ASA 120	"	13, 56
	ASA 120 H	" verstärkt	13
	ASA 120 HX	"	22
	24A-1 MA	" wartungsfrei	35, 56
<b>24B-1</b>	596	"	10, 48-50, 56
	24B-1 BI	"	25
	24B-1 BI KS	"	27
	24B-1 TRHT	" wartungsfrei	29
	24B-1 TRKS	" wartungsfrei	31
	24B-1 MA	" wartungsfrei	34, 48-53
	596 GL	"	17
	596 GL MA	" wartungsfrei	36
	596 R	"	22
	596 SX	"	22
<b>24A-2</b>	ASA 120-2	"	14
	24A-2 MA	" wartungsfrei	35
<b>24B-2</b>	D 596	"	11
	24B-2 BI	"	25
	24B-2 BI KS	"	27
	24B-2 TRHT	" wartungsfrei	29
	24B-2 TRKS	" wartungsfrei	31
	24B-2 MA	" wartungsfrei	34
	596 GL-2	"	17
	596 GL-2 MA	" wartungsfrei	36
<b>24A-3</b>	ASA 120-3	"	15
	24A-3 MA	" wartungsfrei	35
<b>24B-3</b>	T 596	"	12
	24B-3 BI	"	25
	24B-3 BI KS	"	27
	24B-3 TRHT	" wartungsfrei	29
	24B-3 TRKS	" wartungsfrei	31
	24B-3 MA	Rollenkette wartungsfrei	34
	596 GL-3	Rollenkette	17
	596 GL-3 MA	" wartungsfrei	36
<b>28A-1</b>	ASA 140	"	13
	ASA 140 H	" verstärkt	13
	ASA 140 HX	"	22
<b>28B-1</b>	613	"	10, 48, 49, 56
<b>28A-2</b>	ASA 140-2	"	14
<b>28B-2</b>	D 613	"	11
<b>28A-3</b>	ASA 140-3	"	15
<b>28B-3</b>	T 613	"	12
<b>32A-1</b>	ASA 160	"	13
	ASA 160 H	" verstärkt	13
	ASA 160 HX	"	22
<b>32B-1</b>	652	"	10, 48, 49, 56
<b>32A-2</b>	ASA 160-2	"	14
<b>32B-2</b>	D 652	"	11
<b>32A-3</b>	ASA 160-3	"	15
<b>32B-3</b>	T 652	"	12
<b>40A-1</b>	ASA 200	"	13
	ASA 200 H	" verstärkt	13
	ASA 200 HX	"	23
<b>40B-1</b>	671	"	10
	671 SX	"	22
<b>40A-2</b>	ASA 200-2	"	14
<b>40B-2</b>	D 671	"	11
<b>40A-3</b>	ASA 200-3	"	15
<b>40B-3</b>	T 671	"	12
<b>48B-1</b>	679	"	10
<b>48B-2</b>	D 679	"	11
<b>48B-3</b>	T 679	"	12
<b>208 B</b>	713	"	37, 54, 55

ISO-Bez.	WIPPERMANN-Bezeichnung	Ausführung	Seite
	208 B MA	" wartungsfrei	37, 54, 55
<b>208 B</b>	713 RF	" rostfrei	46, 54, 55
<b>210 B</b>	717	Rollenkette	46, 54, 55
	210 B MA	" wartungsfrei	37, 54, 55
<b>210 B</b>	717 RF	" rostfrei	37, 54, 55
<b>212 B</b>	722	"	37, 54, 55
	212 B MA	" wartungsfrei	37, 54, 55
<b>212 B</b>	722 RF	" rostfrei	37, 54, 55
	722 SF RF	Stauförderkette "	60, 61
	722 SF	"	60, 61
	722 SF MA	" wartungsfrei	38, 39
<b>216 B</b>	728	Rollenkette	46, 54, 55
	216 B MA	Rollenkette wartungsfrei	37, 54, 55
<b>216 B</b>	728 RF	" rostfrei	46, 54, 55
	728 SF RF	Stauförderkette "	60, 61
	728 SF	"	60, 61
	728 SF MA	" wartungsfrei	38, 39
<b>220 B</b>	734	Rollenkette	46, 54, 55
	220B MA	" wartungsfrei	37, 54, 55
	6144	Rollenkette Landmaschinen	45
	1105	Hohlbolzenkette	23
	1462	"	23
	1463	"	23
	1500	"	23
	1501	"	23
	1513	"	23
	1589	"	23
	1598	"	23
	1650	"	23
	1650 RF	" rostfrei	23
	320	Werkzeugmagazinkette	64-67
	340	Werkzeugmagazinkette	64-67
	1110	Buchsen-Zahnkette	72
	1112	"	72
	1114	"	72
	1115	"	72
	06-015/20A	Wiegegelenk-Zahnketten	73
	06-025/030/035J	"	73
	08-015/020A	"	73
	08-025/030/035J	"	73
	08-050/65J	"	73
	10-025/035/040J	"	73
	10-050/065J	"	73
	12-035/040/050J	"	73
	12-065/075J	"	73
	16-050/065/075J	"	73
	16-100/125J	"	73
	24-065/075/100J	"	73
	24-125/150J	"	73
	32-100/115/135J	"	73
	32-150/180J	"	73
	HD06-015/020A	Wiegegelenk-Zahnketten Typ HD	74
	HD06-025/030/040J	"	74
	HD06-050/065J	"	74
	HD08-015/020A	"	74
	HD08-025/030/040J	"	74
	HD08-050/065/075J	"	74
	HD08-100J	"	74
	HD12-030A	"	74
	HD12-035/040J	"	74
	HD12-050/065/085J	"	74
	HD12-100/125/150J	"	74
	HD12-200J	"	74
	HD16-040/050/065J	"	74
	HD16-075/100/125J	"	74
	HD16-150/200J	"	74
	HPO6-015/020A	Wiegegelenk-Zahnketten Typ HP	75
	HPO6-025/030/040J	"	75
	HPO6-050/065J	"	75
	HPO8-015/025A	"	75

